

# MATERIAL SAFETY DATA SHEET

## CHEMISTRY CALIBRATOR

### SDI Biomed, Inc.

23679 Calabasas Road, Unit 241  
Calabasas, CA 91302  
USA

Phone: 800-804-6750

Fax: 818-709-0544

### EMERGENCY PHONE NUMBERS

USA: 800-424-9300

INTERNATIONAL: 703-527-3887

### DATE OF PREPARATION

FEBRUARY, 2007

### I PRODUCT IDENTIFICATION

CHEMICAL / PRODUCT NAME: **SDI CHEMISTRY CALIBRATOR**

PRODUCT NO: 43793

### II HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CAUTION: Controls contain human blood components which have been tested negative at donor levels for HTLV III and HbsAg. No test method, however can offer complete assurance that an infectious agent is absent. For this reason, all material containing human blood components should be considered as potentially infectious.

### III PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance and odor: Unreconstituted Control – Yellowish lyophilized powder  
Reconstituted Control – Amber, Slightly Turbid Liquid

Boiling Point: Not Available

Vapor Pressure: Not Available

Vapor Density: Not Available

Melting Point: Not Available

Evaporation Rate: Not Available

Specific Gravity: Not Available

Solubility in Water: Complete

### IV FIRE AND EXPLOSION HAZARD DATA

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.

Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder, or appropriate foam to cool fire exposed containers.

Special Fire Fighting Procedures: Not Available

### V REACTIVITY DATA

Stability: Stable

Conditions to Avoid: Not Available

Incompatibility: Not Available

Hazardous Decomposition of Byproducts: Toxic gases and vapors may be released if involved in a fire.

Hazardous Polymerizations: Will Not Occur  
Conditions to Avoid: Not Available

## **VI HEALTH HAZARD DATA**

The toxicological properties of this material have not been investigated. Exercise appropriate care to avoid direct contact with skin and eyes.

## **VII EXPOSURE EFFECTS**

Not Available

## **VIII SYMPTOMS**

Not Available

## **IX FIRST AID**

Ingestion: Seek medical advice if ingestion is suspected.  
Skin: Immediately flush with copious amounts of water.  
Eye: Immediately flush with copious amounts of water.

## **X VENTILATION AND PERSONAL PROTECTION**

Ventilation: Not Required  
Respiratory Protection: Not Required  
Skin: Gloves and Laboratory Coat Required  
Eyes: Protection Required

In general, good laboratory procedures should be followed.

## **XI SPECIAL STORAGE AND DISPOSABLE PROCEDURES**

Not Applicable

## **XII SPILL, LEAK AND DISPOSAL PROCEDURES**

Spillage: Flush affected area with water.  
Disposal: Flush to sewer with excess water. Disposal may be subject to Federal, State or Local Laws.

The information contained herein is furnished without warranty of any kind. Users should consider this data only as a supplement to other information gathered by them and must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers.