

MATERIAL SAFETY DATA SHEET

SDI LIPID CALIBRATOR

SDI Biomed, Inc.

23679 Calabasas Road, Unit 241
Calabasas, CA 91302
USA

Phone: 800-804-6750

Fax: 818-709-0544

EMERGENCY PHONE NUMBERS

USA: 800-424-9300

INTERNATIONAL: 703-527-3887

DATE OF PREPARATION

FEBRUARY, 2007

I PRODUCT IDENTIFICATION

CHEMICAL / PRODUCT NAME: **SDI LIPID CALIBRATOR**

PRODUCT CATALOG NO: 43796

II HAZARDOUS INGREDIENTS / IDENTITY INFORMATION

CAUTION: Calibrator contains human blood components which have been tested negative at donor levels for HTLV III and HbsAg. No test method, however can offer complete assurance that an infectious agent is absent. For this reason, all material containing human blood components should be considered as potentially infectious.

III PHYSICAL / CHEMICAL CHARACTERISTICS

Appearance and odor: Unreconstituted Calibrator: – Yellowish, lyophilized powder
Reconstituted Calibrator: – Amber, Slightly Turbid Liquid

Boiling Point: Not Available

Vapor Pressure: Not Available

Vapor Density: Not Available

Melting Point: Not Available

Evaporation Rate: Not Available

Specific Gravity: Not Available

Solubility in Water: Complete

IV FIRE AND EXPLOSION HAZARD DATA

Fire: Not considered to be a fire hazard.

Explosion: Not considered to be an explosion hazard.

Extinguishing Media: Use water spray, carbon dioxide, dry chemical powder, or appropriate foam to cool fire exposed containers.

Special Fire Fighting Procedures: Not Available

V REACTIVITY DATA

Stability: Stable

Conditions to Avoid: Not Available

Incompatibility: Not Available

Hazardous Decomposition of Byproducts: Toxic gases and vapors may be released if involved in a fire.

Hazardous Polymerizations: Will Not Occur

Conditions to Avoid: Not Available

VI HEALTH HAZARD DATA

The toxicological properties of this material have not been investigated. Exercise appropriate care to avoid direct contact with skin and eyes.

VII EXPOSURE EFFECTS

Not Available

VIII SYMPTOMS

Not Available

IX FIRST AID

Ingestion:	Seek medical advice if ingestion is suspected.
Skin:	Immediately flush with copious amounts of water.
Eye:	Immediately flush with copious amounts of water.

X VENTILATION AND PERSONAL PROTECTION

Ventilation:	Not Required
Respiratory Protection:	Not Required
Skin:	Gloves and Laboratory Coat Required
Eyes:	Protection Required

In general, good laboratory procedures should be followed.

XI SPECIAL STORAGE AND DISPOSABLE PROCEDURES

Not Applicable

XII SPILL, LEAK AND DISPOSAL PROCEDURES

Spillage:	Flush affected area with water.
Disposal:	Flush to sewer with excess water. Disposal may be subject to Federal, State or Local Laws.

The information contained herein is furnished without warranty of any kind. Users should consider this data only as a supplement to other information gathered by them and must make independent determinations of the suitability and completeness of information from all sources to assure proper use and disposal of this material and the safety and health of employees and customers.